




ETOILE

METRICA® D2



Plus and Acoustic performance




- 01.** Thickness: 104 mm
- 02.** Floor and ceiling rails, corner profiles and wall-end uprights are in 6060 UNI 9006/1 extruded aluminium
- 03.** Framed double glass - 55.1/55.2/66.1/66.2 laminated glass or 10-12-mm-thick tempered glass
- 04.** Fixed or adjustable corner profiles, 2-, 3- or 4-way junctions
- 05.** Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape
- 06.** Door frame with cable routing
- 07.** Inspectable utility module
- 08.** 16 versions of hinged doors - solid, tempered glass and framed
- 09.** 5 versions of external sliding doors - solid, tempered glass and framed

- 01.** Laminated double glass 55.1 - **39 dB**
- 02.** Laminated double glass 55.1 and 66.2 with acoustic film - **41 dB**
- 03.** Laminated double glass 66.2 with acoustic film **43 dB**




Wall-end uprights




double 55.1 laminated glass
double 55.2 laminated glass
double 66.1 laminated glass
double 66.2 laminated glass


double 10-mm-thick tempered glass
double 12-mm-thick tempered glass



Adjustable wall-end upright




Upright from wall-end compensation panel




Wall-end upright

Wall-end uprights




End profile




Storage-end upright

Junction profiles



Corner profiles




Polycarbonate
90° corner profile




Two-sided technical tape
90° corner junction


Two-way
corner junction




Adjustable angle



Three-way
corner junction





Four-way
corner junction



Cabling and utility module
for hinged doors

Utility module

Cabling solution





*possible positions for switches and sockets on the door frame

Utility module
for sliding doors



Utility module



**possible positions for switches and sockets on the utility module*

METRICA®
WITHOUT UPRIGHTS


Doors and handles




104

FRAMED SOLID DOOR LEAF_DOUBLE REBATE 104 mm thick


Flush door




FRAMED SOLID DOOR LEAF_DOUBLE REBATE 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11



MLQ




MLT


FRAMED DOUBLE GLASS DOOR LEAF WITH SCREEN-PRINTING_DOUBLE REBATE 104 mm thick




Flush door




FRAMED DOUBLE GLASS DOOR LEAF WITH SCREEN-PRINTING_DOUBLE REBATE 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11



MLQ




MLT

FRAMES FOR HINGED DOORS


Metrica Structural




Frame for **Metrica Structural** door on **Metrica D1**




Frame for **Metrica Structural** door on **Metrica D2**



Frame for **Metrica Structural** door on **Metrica Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** visible or concealed hinge
- 02.** visible or concealed door closer
- 03.** switch on door upright
- 04.** recessed dust seal




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT

TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




CHARACTERISTICS


- 01.** visible hinge - 110° or 180°
- 02.** visible door closer
- 03.** handle with glass adapter
- 04.** switch on door upright
- 05.** external dust seal




TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT

LARGE FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01. visible or concealed hinge
- 02. visible door closer
- 03. switch on door upright
- 04. recessed dust seal




LARGE FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


MEDIUM FRAMED DOOR LEAF 43 mm thick




MEDIUM FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


THIN FRAMED DOOR LEAF 43 mm thick




THIN FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT

FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




CHARACTERISTICS


- 01.** concealed hinge
- 02.** visible or concealed door closer
- 03.** switch on door upright
- 05.** recessed dust seal




FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




ML5




ML6




ML7



ML8




ML9




ML11

SOLID DOOR LEAF 104 mm thick


Flush door




SOLID DOOR LEAF 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ



MLT


FRAMED DOUBLE-GLASS DOOR LEAF 104 mm thick

Flush door




CHARACTERISTICS


- 01.** concealed hinge
- 02.** visible or concealed door closer
- 03.** switch on door upright
- 04.** recessed dust seal




FRAMED DOUBLE-GLASS DOOR LEAF 104 mm thick




ML5




ML6




ML7



ML8



ML9




ML11


FRAMES FOR SLIDING DOORS




Frame for **Metrica Structural** door on **Metrica D1**




Frame for **Metrica Structural** door on **Metrica D2**




Frame for **Metrica Structural** door on **Metrica Solid**




SOLID DOOR LEAF 43 mm thick




TEMPERED GLASS DOOR LEAF 10 mm thick



LARGE FRAMED DOOR LEAF 43 mm thick



MEDIUM FRAMED DOOR LEAF 43 mm thick



rail closing profile

framed 66.1 laminated glass


*extruded
aluminium frame*

CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock


handles as per catalogue

THIN FRAMED DOOR LEAF 43 mm thick




SOLID DOOR LEAF_INTERNAL SLIDING DOOR 38 mm thick

*only for Metrica Solid




TEMPERED GLASS DOOR LEAF_INTERNAL SLIDING DOOR 10 mm thick

*only for Metrica Solid



CHARACTERISTICS


- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock




FRAMES FOR HINGED DOORS
Metrica F




Frame for **Metrica F** door on **Metrica F1**




Frame for **Metrica F** door on **Metrica FA**




Frame for **Metrica F** door on **Metrica F2**



Frame for **Metrica F** door on **Metrica F Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** visible or concealed hinge
- 02.** visible or concealed door closer
- 03.** recessed dust seal




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT

TEMPERED GLASS DOOR LEAF 10 mm thick


Visible hinge




TEMPERED GLASS DOOR LEAF 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO

TEMPERED GLASS DOOR LEAF 10 mm thick


Full-height hinge




TEMPERED GLASS DOOR LEAF 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO

FRAMED DOOR LEAF 97 mm thick


Flush door




FRAMED DOOR LEAF 97 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ



MLT

FRAMED DOUBLE-GLASS DOOR LEAF


97 mm thick *Flush door*




CHARACTERISTICS

- 01.** concealed hinge
- 02.** visible or concealed door closer
- 03.** recessed dust seal


FRAMED DOUBLE-GLASS DOOR LEAF 97 mm thick




ML5




ML6




ML7



ML8




ML9



ML11


FRAMED GLASS DOOR LEAF 25 mm thick






Glass door


STEEL




MPOMGH1_H2_H3




MPOM2




MPOM3



MPOMGH1Q_GH2Q_GH3Q




MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM6




MPOM7


Solid door




STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

METRICA®
WITHOUT UPRIGHTS


Accessories




Overhead door closer



01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door




03 external sliding closer
for tempered glass door

Floor-mounted door closer




01 floor-mounted
for solid door




02 floor-mounted
for tempered glass door


Aluminium hinges




01 external pivot closer
for framed/solid door




02 concealed
for framed/solid door




03 180° opening
for tempered glass door



04 two-way hinge with adjustable speed
for tempered glass door




05 two-way hinge with adjustable speed
for tempered glass door




06 two-way hinge with adjustable speed
for tempered glass door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door

METRICA®
WITHOUT UPRIGHTS

Finishes

Frame



Anodised

RAL Finishes

Polish


Wood



01 Natural aluminium



01 White



01 Shine




01 Light oak




02 Bronze



02 Black



02 Dark oak



03 Custom colour




03 Custom colour




Solid panels

CAT. 1



055 Graphite black



420 Gunmetal




418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white



428 Cold white

CAT. 2



422 Silver




423 Champagne

Woods



CAT. 1




421 Eucaliptus



426 Mid-tone oak




274 Acacia




416 Streaked white


CAT. 2




425 Dark walnut



318 Mid-tone walnut



427 Light walnut




382 Natural oak

CAT. 3



138 Aged saw-cut oak




197 Saw-cut eucaliptus



408 Grey oak




400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak

Textures



CAT. 2




304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric



424 Oxide


CAT. 3



385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear




03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



Etoile s.r.l. - Società Unipersonale

Via D. Albertario, 50 61032 Zona Ind.le Bellocchi - Fano (PU) Italy

P. +39.0721.85.59.34 - F. +39.0721.85.92.14

info@etoilesrl.it - www.etoilesrl.it