



☐ ETOILE

METRICA® R







- 01.** Thickness: 104 mm
 - 02.** Supporting structure in UNI EN 10143 zinc-plated sheet
 - 03.** Partition panels mounted vertically or horizontally
 - 04.** Panels with width 500/1000/1500/2000 mm
 - 05.** Single central glass - 33.1 laminated glass or 5-mm-thick tempered glass
 - 06.** Fixed or adjustable corner profiles, 2-, 3- or 4-way junctions
 - 07.** Door frame with cable routing
 - 08.** Inspectable utility module
 - 09.** 11 versions of hinged doors - solid, tempered glass and framed
 - 10.** 5 versions of external sliding doors - solid, tempered glass and framed
- 01.** Vertical 33.1 laminated glass - **33 dB**
 - 02.** Horizontal 33.1 laminated glass from **25 dB** to **36 dB**
 - 03.** Vertical 33.1 laminated glass + solid panel from **30 dB** to **38 dB**



Wall-end uprights




End profile




Storage-end upright

Junction profiles




Corner profiles




90° corner profile


Two-way corner junction




Adjustable angle



Three-way corner junction





Four-way corner junction





Cabling and utility module for hinged doors



Utility module



Cabling solution





*possible positions for switches and sockets on the door frame

Utility module for sliding doors



Utility module



**possible positions for switches and sockets on the utility module*


METRICA[®]
STRUCTURAL

Doors and handles


FRAMES FOR HINGED DOORS




Door frame on **Metrica R**




Door frame on **Metrica V**




Door frame on **Metrica S**



Door frame on **Metrica Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** visible or concealed hinge
- 02.** visible or concealed door closer
- 03.** switch on door upright
- 04.** recessed dust seal




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT

TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




CHARACTERISTICS


- 01. visible hinge - 110° or 180°
- 02. visible door closer
- 03. handle with glass adapter
- 04. switch on door upright
- 05. external dust seal




TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO





MCT




MCTO


TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


LARGE FRAMED DOOR LEAF 43 mm thick




LARGE FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


MEDIUM FRAMED DOOR LEAF 43 mm thick




MEDIUM FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


THIN FRAMED DOOR LEAF 43 mm thick




THIN FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




ML5




ML6




ML7



ML8





ML9




ML11

SOLID DOOR LEAF 104 mm thick


Flush door




SOLID DOOR LEAF 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11



MLQ





MLT


FRAMED DOUBLE-GLASS DOOR LEAF 104 mm thick




Flush door




FRAMED DOUBLE-GLASS DOOR LEAF 104 mm thick




ML5




ML6




ML7



ML8



ML9




ML11


FRAMES FOR HINGED DOORS




Frame for **Metrica D** door on **Metrica R**




Frame for **Metrica D** door on **Metrica V**



Frame for **Metrica D** door on **Metrica S**





Frame for **Metrica D** door on **Metrica Solid**




FRAMED SOLID DOOR LEAF_DOUBLE REBATE 104 mm thick




Flush door




FRAMED SOLID DOOR LEAF_DOUBLE REBATE 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11



MLQ





MLT


FRAMED DOUBLE GLASS DOOR LEAF WITH SCREEN-PRINTING_DOUBLE REBATE 104 mm thick




Flush door




FRAMED DOUBLE GLASS DOOR LEAF WITH SCREEN-PRINTING_DOUBLE REBATE 104 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11



MLQ




MLT


FRAMES FOR SLIDING DOORS




Door frame on **Metrica R**




Door frame on **Metrica V**




Door frame on **Metrica S**



Door frame on **Metrica Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock




TEMPERED GLASS DOOR LEAF 10 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock




LARGE FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock




MEDIUM FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock




THIN FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock



SOLID DOOR LEAF _INTERNAL SLIDING DOOR 38 mm thick

*only for Metrica Solid




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock

TEMPERED GLASS DOOR LEAF_INTERNAL SLIDING DOOR 10 mm thick




*only for Metrica Solid



CHARACTERISTICS


- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock






Glass door


STEEL




MPOMGH1_H2_H3




MPOM2




MPOM3



MPOMGH1Q_GH2Q_GH3Q




MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM6




MPOM7




Solid door


STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

METRICA[®]
STRUCTURAL


Accessories




Overhead door closer



01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door




03 external sliding closer
for tempered glass door

Floor-mounted door closer Aluminium hinges




01 floor-mounted
for solid door




02 floor-mounted
for tempered glass door


Aluminium hinges




01 external pivot closer
for framed/solid door



02 concealed
for framed/solid door




03 180° opening
for tempered glass door




04 two-way hinge with adjustable speed
for tempered glass door


Accessories




01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door



05 two-way hinge with adjustable speed
for tempered glass door



06 two-way hinge with adjustable speed
for tempered glass door

METRICA[®]
STRUCTURAL

Finishes

Frame




Anodised

RAL Finishes

Polish


Wood



01 Natural aluminium



01 White



01 Shine




01 Light oak




02 Bronze



02 Black



02 Dark oak



03 Custom colour



03 Custom colour

Solid panels



CAT. 1



055 Graphite black



420 Gunmetal



418 Ash grey



419 Light grey




393 Dove grey



417 Vanilla



429 Warm white




428 Cold white

CAT. 2



422 Silver



423 Champagne

Woods



CAT. 1



421 Eucaliptus



426 Mid-tone oak




274 Acacia




416 Streaked white


CAT. 2




425 Dark walnut



318 Mid-tone walnut




427 Light walnut




382 Natural oak


CAT. 3



138 Aged saw-cut oak




197 Saw-cut eucaliptus




408 Grey oak




400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak

Textures



CAT. 2




304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric




424 Oxide


CAT. 3




385 Bronze linen



409 Bark




406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear




03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



ETOILE

Etoile s.r.l. - Società Unipersonale

Via D. Albertario, 50 61032 Zona Ind.le Bellocchi - Fano (PU) Italy
P. +39.0721.85.59.34 - F. +39.0721.85.92.14
info@etoilesrl.it - www.etoilesrl.it