




☐ ETOILE

RITMICA® WOOD D2







- 01.** Thickness: 92 mm
- 02.** Veneered laminated wood structure
- 03.** Wood slats are joined with the “finger joint” technique
- 04.** Floor profiles are in 6060 UNI 9006/1 extruded aluminium, concealed to ensure impermeability
- 05.** Double glass - 55.1 laminated glass or 10 mm thick tempered glass
- 06.** Fixed corner profiles
- 07.** Vertical junctions between glazed elements, made of wood, aluminium, polycarbonate or transparent two-sided tape
- 08.** Door frame with cable routing
- 09.** Utility module
- 10.** 5 versions of hinged doors - solid, tempered glass and framed
- 11.** 3 versions of external sliding doors - solid, tempered glass and framed




Wall-end uprights




Fixed wall-end upright

Wall-end uprights




End profile



Storage-end upright

Junction profiles



40

Junction

ritmica wood d2 - ritmica wood d2

Junction

ritmica wood d2 - ritmica wood solid

Junction profiles



variabile



**Polycarbonate
junction profile**




**Two-sided technical tape
junction**



**Two-sided technical tape
three-way junction**


Corner profiles



**Wooden
90° corner profile**



**Polycarbonate
90° corner profile**




**Two-sided technical tape
90° corner junction**





Cabling and utility module for hinged doors



Utility module



Cabling solution




**possible positions for switches and sockets on the door frame*



Cabling and utility module for sliding doors



Utility module



Cabling solution



*possible positions for switches and sockets on the door frame


RITMICA®
WOOD

Doors and handles


FRAMES FOR HINGED DOORS




Door frame on **Ritmica Wood D1**




Door frame on **Ritmica Wood D2**



Door frame on **Ritmica Wood Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** concealed hinge
- 02.** visible or concealed door closer
- 03.** switch on door upright
- 04.** recessed dust seal




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


SOLID DOOR LEAF 92 mm thick




SOLID DOOR LEAF 92 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ





MLT

TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




CHARACTERISTICS


- 01.** full-height hinge - 180°
- 02.** visible door closer
- 03.** handle with glass adapter
- 04.** switch on door upright
- 05.** external dust seal




TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO





MCT




MCTO


FRAMED SINGLE-GLASS DOOR LEAF 43 mm thick




FRAMED SINGLE-GLASS DOOR LEAF 43 mm thick




ML5




ML6




ML7



ML8





ML9




ML11


FRAMED DOUBLE-GLASS DOOR LEAF 92 mm thick




FRAMED DOUBLE-GLASS DOOR LEAF 92 mm thick




ML5




ML6




ML7



ML8



ML9




ML11


FRAMES FOR SLIDING DOORS




Door frame on **Ritmica Wood D1**




Door frame on **Ritmica Wood D2**




Door frame on **Ritmica Wood Solid**



SOLID DOOR LEAF 43 mm thick




TEMPERED GLASS DOOR LEAF 10 mm thick



CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright

LARGE FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright




Glass door


STEEL




MPOMGH1_H2_H3




MPOM2




MPOM3



MPOMGH1Q_GH2Q_GH3Q




MPOM3Q




MPOM8

ALUMINIUM



MPOMTH1_TH2




MPOMQH1_QH2


Solid door




STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

RITMICA®
WOOD


Accessories



Overhead door closer




01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door

Floor-mounted door closer




01 floor-mounted
for solid door

Aluminium hinges




02 concealed
for framed/solid door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door

RITMICA®
WOOD

Finishes

Frame



Anodised

RAL Finishes

Polish


Wood



01 Natural aluminium



01 White




01 Shine




01 Light oak




02 Bronze



02 Black



02 Dark oak



03 Custom colour




03 Custom colour


Solid panels



CAT. 1




055 Graphite black




420 Gunmetal



418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla




429 Warm white




428 Cold white

CAT. 2



422 Silver




423 Champagne

Woods



CAT. 1



421 Eucaliptus



426 Mid-tone oak




274 Acacia




416 Streaked white


CAT. 2




425 Dark walnut



318 Mid-tone walnut




427 Light walnut




382 Natural oak


CAT. 3



138 Aged saw-cut oak




197 Saw-cut eucaliptus




408 Grey oak




400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak

Textures



CAT. 2




304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric



424 Oxide


CAT. 3




385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear




03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



Etoile s.r.l. - Società Unipersonale

Via D. Albertario, 50 61032 Zona Ind.le Bellocchi - Fano (PU) Italy
P. +39.0721.85.59.34 - F. +39.0721.85.92.14
info@etoilesrl.it - www.etoilesrl.it