





 ETOILE


UNICA® SC1/SC2/SC3



UNICA® SC3/ 5+5



UNICA® SC1/ 6+6



UNICA® SC2/ 8+8

Plus and Acoustic performance





- 01.** Thickness: 51 mm
- 02.** Glazing bead profile - dimensions 47 x 40 mm
- 03.** Floor and ceiling rails, corner profiles and wall-end are in 6060 UNI 9006/1 extruded aluminium
- 04.** SC3: single central glass - 55.1/55.2 or 10-mm-thick
- 05.** SC1: single central glass - 66.1/66.2 or 12-mm-thick
- 06.** SC2: single central glass - 88.1/88.2 or 16-mm-thick
- 07.** Solid panel, free-standing or anchored to glass modules
- 08.** Fixed or adjustable corner profiles, 2-, 3- or 4-way junctions
- 09.** Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape
- 10.** Door frame with cable routing
- 11.** Inspectable utility module
- 12.** 7 versions of hinged doors - solid, tempered glass and framed and 5 versions of external sliding doors
- 13.** 5 versions of external sliding doors - solid, tempered glass and framed


- 01. SC3:** Laminated glass 55.1 - **32 dB**
- 02. SC3:** Laminated glass 55 + 0,5 PVB + insulation - **35 dB**
- 03. SC1:** Laminated glass 66.1 - **36 dB**
- 04. SC1:** Laminated glass 66.2 + acoustic film - **38 dB**
- 05. SC2:** Laminated glass 88.1 - **37 dB**
- 06. SC2:** Laminated glass 88.2 + acoustic film - **40 dB**



Wall-end uprights




Fixed wall-end upright




Adjustable wall-end upright

Wall-end uprights




End profile



Storage-end uprights

Junction profiles



Corner profiles for Unica SC3



Aluminium/Polycarbonate
90° corner profile

Two-sided technical tape
90° corner junction

Two-way
corner junction

Adjustable angle

Three-way
corner junction

Four-way
corner junction

Corner profiles for Unica SC1 and SC2



Aluminium/Polycarbonate
90° corner profile

Two-sided technical tape
90° corner junction

Two-way
corner junction

Adjustable angle


Three-way
corner junction

Four-way
corner junction



Cabling and utility module
for hinged doors



Utility module



Cabling solution




*possible positions for switches and sockets on the door frame



Cabling and utility module for sliding doors



Utility module



Cabling solution



*possible positions for switches and sockets on the door frame



Solid panel



Wall with suspended central panel

- Unica SC3**
10-mm-thick tempered glass
- Unica SC1**
12-mm-thick tempered glass
- Unica SC2**
16-mm-thick tempered glass



supporting wood insert



Wall with full-height panel

supporting wood insert

- Unica SC3**
10-mm-thick wood panel
- Unica SC1**
12-mm-thick wood panel
- Unica SC2**
18-mm-thick wood panel




UNICA®

Doors and handles


FRAMES FOR HINGED DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**




Door frame on **Unica SC1/SC2/SC3**




Door frame on **Unica R**




Door frame on **Unica D**




SOLID DOOR LEAF 43 mm thick




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ



MLT


TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




CHARACTERISTICS

- 01.** visible hinge - 110° or 180°
- 02.** visible door closer
- 03.** handle with glass adapter
- 04.** switch on door upright
- 05.** external dust seal


TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF_FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT



MCTO


LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




CHARACTERISTICS

- 01.** visible or concealed hinge
- 02.** visible door closer
- 03.** switch on door upright
- 04.** recessed dust seal


LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


LARGE FRAMED DOOR LEAF 43 mm thick




LARGE FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


MEDIUM FRAMED DOOR LEAF 43 mm thick




MEDIUM FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


THIN FRAMED DOOR LEAF 43 mm thick




THIN FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




ML5




ML6




ML7



ML8



ML9




ML11


FRAMES FOR SLIDING DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**




Door frame on **Unica SC1/SC2/SC3**




Door frame on **Unica R**



Door frame on **Unica D**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright



TEMPERED GLASS DOOR LEAF 10 mm thick




LARGE FRAMED DOOR LEAF 43 mm thick





CHARACTERISTICS

- 01. soft opening-closing mechanism
- 02. synchronised closing for double-leaf door
- 03. lock
- 04. switch on door upright




MEDIUM FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright




THIN FRAMED DOOR LEAF 43 mm thick



CHARACTERISTICS


- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright




Glass door




STEEL




MPOMGH1_H2_H3




MPOM2




MPOM3



MPOMGH1Q_GH2Q_GH3Q




MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM6




MPOM7


Solid door




STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

UNICA®


Accessories




Overhead door closer



01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door




03 external sliding closer
for tempered glass door

Floor-mounted door closer




01 floor-mounted
for solid door




02 floor-mounted
for tempered glass door


Aluminium hinges




01 external pivot closer
for framed/solid door




02 concealed
for framed/solid door




03 180° opening
for tempered glass door



04 two-way hinge with adjustable speed
for tempered glass door




05 two-way hinge with adjustable speed
for tempered glass door




06 two-way hinge with adjustable speed
for tempered glass door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door

UNICA®

Finishes



Anodised

RAL Finishes

Polish

Wood



01 Natural aluminium



01 White




01 Shine




01 Light oak




02 Bronze



02 Black



02 Dark oak



03 Custom colour




03 Custom colour


Solid panels



CAT. 1



055 Graphite black



420 Gunmetal




418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white




428 Cold white

CAT. 2




422 Silver




423 Champagne



CAT. 1




421 Eucaliptus



426 Mid-tone oak




274 Acacia




416 Streaked white


CAT. 2




425 Dark walnut



318 Mid-tone walnut




427 Light walnut




382 Natural oak


CAT. 3



138 Aged saw-cut oak




197 Saw-cut eucaliptus




408 Grey oak



400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak



CAT. 2




304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric



424 Oxide


CAT. 3




385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear




03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



Etoile s.r.l. - Società Unipersonale

Via D. Albertario, 50 61032 Zona Ind.le Bellocchi - Fano (PU) Italy
P. +39.0721.85.59.34 - F. +39.0721.85.92.14
info@etoilesrl.it - www.etoilesrl.it