




COMPANY **PROFILE**



WE. THE HISTORY




**ETOILE, 15 YEARS
OF HISTORY AND
30 YEARS OF EXPERIENCE** IN THE PRO-
DUCTION OF GLASS
PARTITION WALLS
AND **INTEGRATED**
FURNITURE SYSTEMS
FOR **OFFICES** AND
WORKSPACE



Fabio Santoni
FOUNDER

I focused on creating a **close-knit group of people**, capable of taking the company beyond its **products**, with **passion and style**.



Alessio Santoni

CEO

Our **products** evolve according to the characteristics of each **project** and the requests of each **customer**, but our care and **quality** never change.




Matteo Massi
PURCHASING MANAGER

Our relentless **search** for
quality materials and **reliable**
suppliers is an essential
added value.



FROM DESIGN TO FINAL IMPLEMENTATION

Entirely Italian
style and **design**



100%
MADE IN
ITALY



7.000 m²

production spaces

180 ton

profiles per year

800 m²

showroom

40.000 m²

partitions produced per year

500 m²

offices

170.000 ml

seals per year

150

moulds

800

orders per year



Italy

United Kingdom

France

Malta

Spain

Portugal

Switzerland

Luxembourg

Slovenia

Serbia

Cyprus

Greece

Russia

Saudi Arabia

Kuwait

Nigeria

Ethiopia

Senegal

Tunisia

Panama

Arab Emirates

Qatar

Libya

Israel

United States



01 DESIGN AND CUSTOMISATION

Our CAD dept. and designers suit our products to the space providing the best solution to achieve both aesthetic and functional requirements.

02 PRODUCTION

Thanks to the close interaction with our design team, the turnaround time for a customer request is on average 48h.

03 DELIVERY

A standard of 100% on-time order completion thanks to a certified network of logistics companies.


04 INSTALLATION

Fast installation times thanks to qualified assembly teams who have been working with the company for years.



ETOILE AND DIVILUX, TWO SIDES OF A **COIN**

A **partnership** established **25 years ago**, combining both **production** and **creative skills** typical of the Italian and Portuguese industrial tradition by means of the company's **know-how transfer process**, expanding their commercial action in Portugal, Spain and Angola.





4.350 m²

production spaces

80 ton

profiles per year

280 m²

showroom

20.000 m²

partitions produced per year

350 m²

offices

52.000 ml

seals per year

150

moulds

340

orders per year



**LOOKING
TOWARDS A
SUSTAINABLE
ORGANISATION**



ETOILE'S BUSINESS CYCLE INCLUDES FULL RESPECT FOR THE ENVIRONMENT



- 01 use of **energy coming from sustainable sources** only
- 02 environmentally **sustainable solutions** through the use of **state-of-the-art technologies** that combine aesthetics and functionality
- 03 selected, **zero-km suppliers** to ensure excellence and **respect for the Environment**
- 04 **packaging reduction**




**SPECIAL CARE
IS DEDICATED
TO QUALITY AND
PERFORMANCE:
THREE COMPANY
CERTIFICATIONS AND
OVER HUNDRED
PRODUCT
CERTIFICATIONS**



- 01 ISO 9001/ UNI EN ISO 9001:2015**
The ISO 9001 standard is the most famous and widespread standard for the quality management of companies and industries. A company that has obtained the ISO 9001 quality system certification offers the guarantee of a sound organisation that has the ability to control all aspects of its business and make the best use of its resources.
- 02 FSC**
The FSC certification is an international protocol that certifies that wood products are originated from responsibly managed forests and supply chains, with a positive environmental, social and economic impact.
- 03 LEED®**
The LEED®, certification is a voluntary and consensus based international benchmark for the design, construction and operation of high-performance green buildings.
Etoile products can contribute to the following Leed credits:
 - MRc3 Building Product Disclosure and Optimization - Sourcing of Raw Materials
 - MRc5 Construction and Demolition Waste Management
 - IAQc2 Low-Emitting Materials
 - IAQc9 Acoustic Performance



ETOILE'S PRODUCTS




INTERNAL **PROCESSES**
AND **MANUFACTURE**
SYSTEMATICALLY
STRUCTURED **TO TURN**
SINGLE **COMPONENTS**
INTO UNIQUE **PRODUCTS**

Partitions




Unica®




► thk. 51 mm

Ritmica® Aluminium




► thk. 70 mm

Ritmica® Wood




► thk. 92 mm

Metrica® Structural




► thk. 104 mm

Metrica® Without Uprights



► thk. 104 mm



► thk. 97 mm



THIRTY-SIX hinged doors




SEVENTEEN external sliding doors
THREE internal sliding doors


Cabinets




Quadra is a **storage partition** available in **three different depths**, 600, 462 and 366 mm, combining **three types of doors**: **external flush-fitted glass**, **internal flush-fitted glass**, and **wood**.



Quadra® S



Quadra® V





Quadra® Solid


Dodici




Operational, executive and meeting tables with **four perimetric legs** made of aluminium extrusions and **12-mm thick tops**, available in **unicolour hpl**, **back-lacquered glass** or **18-mm thick veneer**.



Single
workstations



Double
workstations



Executive
Tables



Meeting
Tables

Plus

01. Thickness **51 mm**
02. Floor, ceiling, corner and end **profiles** in extruded **aluminium 6060 UNI 9006/1**
03. **7 different types of glass partitions** - single central and double framed glass with differing thicknesses
04. **3 safety or acoustic glass thicknesses** available
05. **Solid panels** in different sizes - self-standing or fixed to glass
06. **Fixed and adjustable corner profiles** - 2/3/4-way connections
07. **Vertical joints** between glass panels made of polycarbonate aluminium or transparent double-sided tape
08. **Wireable door frame**
09. **Inspectionable service module**
10. **7 different types of hinged doors** - solid, tempered glass and framed glass
11. **5 different types of external sliding doors** - solid, tempered glass and framed glass



RITMICA® ALUMINIUM

D1/ DA/ D2/ SOLID

Plus

01. Thickness **70 mm**
02. Floor, ceiling, corner and end **profiles** in extruded **aluminium 6060 UNI 9006/1**
03. **3 different types of glass partitions** - single central, asymmetrical and double glass
04. **1 solid partition** with double 18-mm thick melamine-faced panels
05. **2 safety or acoustic glass thicknesses** available
06. **Fixed corner profiles**
07. **Vertical joints** between glass panels made of polycarbonate aluminium or transparent double-sided tape
08. **Service module**
09. **9 different types of hinged doors** - solid, tempered glass and framed glass
10. **5 different types of external sliding doors** - solid, tempered glass and framed glass



Plus

01. Thickness **92 mm**
02. **Veneered wooden** structure
03. **“Finger joint”** connection between timber strips
04. Floor **profiles** in 6060 UNI 9006/1 extruded **aluminium**, concealed to secure impermeability
05. **2** different types of **glass partitions** - single central and double glass
06. **1 solid partition** with double 18-mm thick melamine-faced panels
07. **1** safety or acoustic **glass thickness** available
08. **Fixed corner profiles**
09. **Vertical joints** between glass panels made of polycarbonate aluminium or transparent double-sided tape
10. Service **module**
11. **4 different types of hinged doors** - solid and framed glass
12. **2 different types of external sliding doors** - solid and framed glass



METRICA® STRUCTURAL

R/ V/ S/ SOLID

Plus

01. Thickness **104 mm**
02. UNI EN 10143 **Zinc-coated metal structure**
03. **Vertical modules and horizontal strips partition**
04. **500/1000/1500/2000 mm** wide panels
05. 32-mm **spaced rack** for panel fixing
06. **3 different types of glass** partitions - single central, double-framed and double external flush glass with screen-printed edges
07. **1 solid partition** with double 18-mm thick melamine-faced panels
08. **2 safety or acoustic glass thicknesses** available
09. **Fixed and adjustable corner profiles** - 2/3/4-way connections
10. **Wireable door frame**
11. **Inspectionable service module**
12. **11 different types of hinged doors** - solid, tempered glass and framed glass
13. **2 different types of hinged doors** - solid and tempered glass
14. **5 different types of external sliding doors** - solid, tempered glass and framed glass



METRICA® WITHOUT UPRIGHTS

D1/ D2/ SOLID/ F1/ FA/ F2/ F SOLID

Plus

01. **104 mm thick Metrica D** and **97 mm thick Metrica F**
02. Floor, ceiling, corner and end **profiles** in 6060 UNI 9006/1 extruded **aluminium**
03. **3 types of horizontal**, in-view, clip-in profiles – single central, double framed glass + solid panels
04. **4 types with recessed profiles** - single central, asymmetrical and double glass + solid panels
05. **2 safety or acoustic glass thicknesses** available
06. **Fixed and adjustable corner profiles** - 2/3/4-way connections
07. **Vertical joints** between glass panels made of polycarbonate aluminium or transparent double-sided tape
08. **Wireable door frame**
09. **Inspectionable service module** (Metrica D only)
10. **16 different types of hinged doors** - solid, tempered glass and framed glass
11. **3 different types of internal sliding doors** - solid, tempered glass and framed glass
12. **5 different types of external sliding doors** - solid, tempered glass and framed glass



QUADRA®
S/ V/ SOLID

Plus

01. **3 depths** - 600, 462 and 366 mm
02. **2 widths** - 500 and 1000 mm
03. **Supporting structure** made of 22-mm thick melamine-faced panels
04. **Back and side panels** made of 18-mm thick melamine-faced, veneered or lacquered panels
05. **3 types of doors** - solid, framed glass or flush glass door
06. **Aluminium** top and bottom **finishing profile**
07. **Wiring** in **lower base**
08. Internal **shelves** in **melamine** or **metal**
09. **Coat racks**
10. **Pull-out drawers** and **file holders**
11. **Full-height doors** and **open compartments**
12. **Aluminium rack profile** or 33-mm spaced drilling for shelves' height adjustment
13. **Cabinets** can be **integrated** with all Etoile partition types



Plus

01. Operating, executive and meeting **tables**
02. Four-leg 6060 UNI 9006/1 **aluminium structure**
03. **Tops** in hpl or back-lacquered glass - **12 mm thick**
04. Melamine-faced or veneered **tops** - **18 mm thick**
05. One or compound **worktop**
06. **Wiring** with standard **cable guides** or flush **top access**
07. **Legs can be fitted** with shelves and CPU holder
08. Glass or wooden **dividing screens**
09. **Drawer cabinets** in wood or metal
10. **Service furniture**





OVER 100 PRODUCT CERTIFICATIONS

UNICA R

- Whole module with central laminated glass 10/11 - Acoustic test - Certificate no. 243251 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole wooden module - Acoustic test - Certificate no. 243249 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Whole module with wood and single laminated glass 10/11 - Acoustic test - Certificate no. 243248 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole module with central acoustic laminated glass - Acoustic test - Certificate no. 256187 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Whole module with central laminated glass 10/11 and H-shaped aluminium profile - Mechanical test - Certificate no. 242460 IT/EN - UNI 8201:1981
- Whole wooden module with H-shaped aluminium profile and flat connection profiles - Mechanical test - Certificate no. 242461 IT/EN - UNI 8201:1981
- Whole wooden and glazed module - single laminated glass 10/11 with H-shaped aluminium profile and flat connection profiles - Mechanical test - Certificate no. 242465 IT/EN - UNI 8201:1981
- Whole module with central laminated glass 10/11 and structural upright - Mechanical test - Certificate no. 242462 IT/EN - UNI 8201:1981
- Whole wooden module with structural upright - Mechanical test - Certificate no. 242463 IT/EN - UNI 8201:1981
- Wooden and glazed module - single laminated glass 10/11 structural upright - Mechanical test - Certificate no. 242464 IT/EN - UNI 8201:1981

UNICA D

- Whole module with double laminated glass 10/11 - Acoustic test - Certificate no. 243250 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Whole module with two laminated acoustic glass panels - Acoustic test - Certificate no. 248050 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Whole module with two laminated acoustic glass panels - Acoustic test - Certificate no. 248051 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007
- Whole module with two laminated glass panels 10/11 and H-shaped aluminium profile - Mechanical test - Certificate no. 242467 IT/EN - UNI 8201:1981
- Whole module with two laminated glass panels 10/11 and structural upright - Mechanical test -

Certificate no. 242466 IT/EN - UNI 8201:1981

UNICA SC

- Whole module with two laminated glass panels 5/+5 and structural upright - Mechanical test - Certificate no. 287871 IT/EN - UNI 8201:1981, as per Ministerial Decree on infrastructures dated 14/01/2008

UNICA SC1

- Single glass partition 66.1 (laminated 6+6+pvb 0.38) - Acoustic test - Certificate no. 355037 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 66.2a (laminated 6+6+0.76) - Acoustic test - Certificate no. 355038 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Whole module with two laminated glass panels 6+6 and structural upright - Mechanical test - Certificate no. 356911 IT/EN - ETAG GUIDE 003:2012 and UNI ISO 7892:1990

UNICA SC2

- Single glass partition 88.1 (laminated 8+8+pvb 0.38) - Acoustic test - Certificate no. 355039 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 88.2a (laminated 8+8+0.76) - Acoustic test - Certificate no. 355040 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Whole module with two laminated glass panels 8+8 and structural upright - Mechanical test - Certificate no. 356910 IT/EN - ETAG GUIDE 003:2012 and UNI ISO 7892:1990

UNICA - DOOR

- Wooden door - Acoustic test - Certificate no. 243518 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- 10-mm tempered glass door - Acoustic test - Certificate no. 243519 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Door with framed 6/7 laminated glass - Acoustic test - Certificate no. 243517 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Thin and framed hinged door with 6-mm single central glass - Acoustic test - Certificate no. 355042 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- 51-mm-thick framed hinged door with double 6-mm - Acoustic glass - Certificate no. 355043 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- Thin and framed hinged door with 6-mm single central glass - Mechanical test - Certificate no. 356933 IT/EN ETAG GUIDE 003:2012 and UNI ISO 7892:1990
- 51-mm-thick framed hinged door with two 6-mm laminated glass panels - Mechanical test - Certificate no. 356932 IT/EN - ETAG GUIDE 003:2012 and UNI ISO 7892:1990

METRICA

- Whole wooden module - Mechanical test - Certificate no. 253560 IT/EN - UNI 8201:1981
- Particle-board dark oak melamine-finished panels - Reaction to fire - Certificate no. 253501 IT/EN - UNI EN 13823:2005
- Classification for Reaction to Fire - Certificate no. 253504 IT/EN - UNI EN 13501 1:2007

METRICA SOLID

- Whole wooden module with internal insulating layer inside filling panels only - rock wool d=35 Kg/sqm

Product Certifications



Th.=60 mm - Acoustic test - Certificate no. 248482 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

- Whole wooden module with internal rock-wool insulating layer d=35 Kg/sqm Th.=60 mm and echostop - Acoustic test - Certificate no. 248483 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Module with horizontal panels with internal rock-wool insulating layer inside filling panels only d=35 Kg/sqm Th.=60 mm and echostop - Acoustic test - Certificate no. 248488 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Module with horizontal panels with internal rock-wool insulating layer d=35 Kg/sqm Th.=60 mm and co-extruded profile - Acoustic test - Certificate no. 248489 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole module and echostop - Acoustic test - Certificate no. 248484 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

METRICA D

- Whole module with two laminated glass panels 5/+5 - Acoustic test - Certificate no. 279357 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole module with two acoustic laminated glass panels 5/+5 and 6/+6 - Acoustic test - Certificate no. 279358 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Whole module with two laminated glass panels 6/+6 - Acoustic test - Certificate no. 279360 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- 3 vertical laminated glass modules 12/13 mm - Mechanical test - Certificate no. 273436 IT/EN - UNI 8201:1982; UNI EN 947:2000; UNI EN 948:2000; UNI EN 949:2000; UNI EN 950:2000

METRICA R

- Whole module with central laminated glass 6/7 - Insulating layer inside filling panels only Acoustic test - Certificate no. 248485 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Module with horizontal glazed elements with central laminated glass 6/7 - insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248490 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Module with horizontal glazed elements with central laminated glass 6/7 - insulating layer inside filling panels and coextruded profile - Acoustic test - Certificate no. 254591 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Half-glazed module with central laminated glass 6/7 - insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248046 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Half-glazed module with central laminated glass 6/7 - Insulating layer, coextruded profile and echostop - Acoustic test - Certificate no. 248047 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole glazed module - central laminated glass 6/7 - Mechanical test - Certificate no. 253562 IT/EN - UNI 8201:1981

METRICA S

- Whole module with two glued tempered glass panels 5 mm- Insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248494 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Module with horizontal glazed elements with two glued tempered glass panels 5 mm thick - insulating layer inside filling panels and coextruded profile and echostop - Acoustic test - Certificate no. 254593 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007

- Half-glazed module with two glued tempered glass panels, 5 mm thick - Insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248045 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Half-glazed module with two glued tempered glass panels 5 mm thick - Insulating layer, coextruded profile and echostop - Acoustic test - Certificate no. 248048 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole glazed module - two glued tempered glass panels, 5 mm thick- Mechanical test - Certificate no. 253563 IT/EN - UNI 8201:1981

METRICA V

- Whole module with two framed laminated glass panels 6/7 - Insulating layer inside filling panels and echostop -Acoustic test - Certificate no. 248486 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Module with horizontal glazed elements with two framed laminated glass panels 6/7 - Insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248492 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole module with two framed laminated glass panels 6/7 - Insulating layer inside filling panels and co-extruded profiles - Acoustic test - Certificate no. 248487 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Module with horizontal glazed elements with two framed laminated glass panels 6/7 - Insulating layer inside filling panels and coextruded profiles - Acoustic test - Certificate no. 248493 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Half-glazed module with two framed laminated glass panels 6/7 - Insulating layer inside filling panels and echostop - Acoustic test - Certificate no. 248044 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Half-glazed module with two framed laminated glass panels 6/7 - Insulating layer, coextruded profiles and echostop - Acoustic test - Certificate no. 248049 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1: 2007
- Whole glazed module - two framed laminated glass panels 6/7 - Mechanical test - Certificate no. 253561 IT/EN - UNI 8201:1981

METRICA-DOOR

- Wooden door - Acoustic test - Certificate no. 251626 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- 10-mm tempered glass door - Acoustic test - Certificate no. 251625 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Door with framed 6/7 laminated glass - Acoustic test - Certificate no. 251624 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

METRICA D-SOLID DOOR

- 104-mm-thick solid door - Acoustic test - Certificate n. 279745 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

METRICA D-GLASS DOOR

- 104-mm-thick glass door - Acoustic test - Certificate n. 279746 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007



Product Certifications

RITMICA D1

- Single glass partition 55.1 (laminated 5+5+pvb 0.38) - Acoustic test - Certificate no. 355026 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 55.2a (laminated 5+5+0.76) - Acoustic test - Certificate no. 355028 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 66.1 (laminated 6+6+pvb 0.38) - Acoustic test - Certificate no. 355030 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 66.2a (laminated 6+6+0.76) - Acoustic test - Certificate no. 355032 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Single glass partition 55.1- Mechanical test - Certificate no. 356913 IT/EN ETAG GUIDE 003:2012 and UNI ISO 7892:1990

RITMICA D2

- Double glass partition 55.1 (laminated 5+5+pvb 0.38) - Acoustic test - Certificate no. 355027 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Double glass partition 55.2a (laminated 5+5+pvb 0.76) - Acoustic test - Certificate no. 355029 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- Double glass partition 66.1 (laminated 6+6+pvb 0.38) - Acoustic test - Certificate no. 355031 IT/EN - UNI EN ISO 10140-2: 2010 and UNI EN ISO 717-1: 2013
- Double glass partition 66.2a (laminated 6+6+pvb 0.76) - Acoustic test - Certificate no. 355033 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- Double glass partition 55.1- Mechanical test - Certificate no. 356912 IT/EN ETAG GUIDE 003:2012 and UNI ISO 7892:1990

RITMICA SOLID

- Solid wall with double 18-mm panel - Acoustic test - Certificate n. 355034 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- Solid wall with double 18-mm panel Mechanical test - Certificate no. 356914 IT/EN ETAG GUIDE 003:2012 and UNI ISO 7892:1990

RITMICA - DOOR

- Framed door -70-mm - double 6-mm glass - Acoustic test - Certificate no. 355044 IT/EN - UNI EN ISO 10140-2:2010 and UNI EN ISO 717-1:2013
- 70-mm famed door - double glass 6 mm. Mechanical test - Certificate no. 356931 IT/EN ETAG GUIDE 003:2012 and UNI ISO 7892:1990

QUADRA

- Full-height wooden storage module without internal paper filling - Acoustic test - Certificate no. 285086 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Full-height wooden storage module with internal paper filling - Acoustic test - Certificate no. 285087 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007
- Full-height wooden storage module without internal paper filling, coupled with Metrica wall insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test - Certificate no. 285095 IT/EN -UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007
- Full-height wooden storage module without internal paper filling, coupled with Metrica wall insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test - Certificate no. 285096 IT/EN - UNI EN ISO 140-3:

2006 and UNI EN ISO 717-1:2007

- Wooden storage unit with doors and drawers, without internal paper filling - Acoustic test - Certificate no. 285088 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007
- Wooden storage unit with doors and drawers, with internal paper filling - Acoustic test - Certificate no. 285089 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007
- Wooden storage unit with doors and drawers, without internal paper filling, coupled with Metrica wall insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test - Certificate no. 285097 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007
- Cubica full-height storage with wooden doors - 180° hinge - wooden shelves - Safety test - Certificate no. 248418 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005
- Cubica S full-height storage with glass doors - 110° hinge - metal shelves - Safety test - Certificate no. 250055 IT/EN - UNI EN 14073-3: 2005 and UNI EN ISO 14074:2005
- Set of drawers - Certificate no. 248417 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005
- Folder rack - Certificate no. 250056 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005

FORA STYLE SP. 69 mm (DOUBLE FRAMED GLASS)


- Double glass wall - laminated glass 4+4+pvb 0.76 with acoustic film - Acoustic test - Certificate no. 370539 IT/EN - UNI EN ISO 10140-2:2010
- Solid wall / Double glass wall - Two 10-mm wooden panels + laminated glass 4+4+pvb 0.76 with acoustic film + insulating polyester layer - Acoustic test - Certificate no. 370540 IT/EN - UNI EN ISO 10140-2:2010
- Double glass wall - laminated glass 5+5+pvb 0.76 with acoustic film - Acoustic test - Certificate no. 370541 IT/EN - UNI EN ISO 10140-2:2010

FORA STYLE SP. 104 mm

- Solid / Double-glass wall - Two 25-mm wooden panels + laminated glass 5+5+pvb 0.76 with acoustic film + insulating polyester layer - Acoustic test - Certificate no. 370542 IT/EN - UNI EN ISO 10140-2:2010
- Solid / Double-glass wall + top module - Two 25-mm wooden panels + laminated glass 5+5+pvb 0.76 with acoustic film + insulating polyester layer - Acoustic test - Certificate no. 370543 IT/EN - UNI EN ISO 10140-2:2010
- Solid / Double-glass wall + top module - Two 18-mm wooden panels + laminated glass 3+3+pvb 0.76 with acoustic film + insulating polyester layer - Acoustic test - Certificate no. 370544 IT/EN - UNI EN ISO 10140-2:2010



ETOILE PROJECTS





Projects



Projects



Clients



FERRARI AUTO

Maranello

MASERATI

Modena

PORSCHE

Pesaro

GALBANI SPA

Spa Milano

CREDIT AGRICOLE

Filiali in tutta Italia

GIORGIO ARMANI

Settimo Torinese (TO)

FEDERCALCIO

Roma

L'ESPRESSO

Roma – Milano

FERRERO

Alba (CN)

SCHNELL

Calcinelli (PU)

WARNER BROS

Roma

CONFCOMMERCIO

Roma

GENERALI SPA

Roma

CONFIDI

Rimini - Cagliari

VAPA APPALTI

Roma

ORIGINAL BIRTH

Pignataro Maggiore (CE)

GIOCHI PREZIOSI

Milano

BANCA D'ITALIA

Roma

ROBOPAC

San Marino - Rimini

KERAKOLL

Sassuolo

DONDUP

Fossombrone (PU)

BRITISH AMERICAN TOBACCO

Trieste

ISTITUTO MARANGONI

Firenze - Milano

CREDITO MONEGASCO

Montecarlo

DOLPHIN ENERGY TOWER

Doha, Qatar

NATIONAL BANK OF ABU DHABI

Dubai, UAE

AL AHLI BANK DOHA,

Qatar

SANOFI AVENTIS MOSCA,

Russia

ROYAL PACIFIC GROUP ABUJA,

Nigeria

FORA SPACE LONDON,

UK

COMMERCIAL BANK OF ETHIOPIA

Addis Abeba, Etiopia

EIFFAGE VELIZY,

France

SWISSOTEL CORNICHE PARK TOWERS

Doha, Qatar

UNIVERSITY MEDICAL CENTER

Lubiana, Slovenia



Etoile s.r.l. - Società Unipersonale

Via D. Albertario, 50 61032 Zona Ind.le Bellocchi - Fano (PU) Italy
P. +39.0721.85.59.34 - F. +39.0721.85.92.14
info@etoilesrl.it - www.etoilesrl.it