ETOILE

METRICA® F1



Plus

01. Thickness: 97 mm

02. Recessed floor and ceiling rails, corner profiles and wall-end uprights are in 6060 UNI 9006/1 extruded aluminium.

03. Single central glass - 55.1/55.2/66.1/66.2 laminated glass or 10-12-mm-thick tempered glass

04. Fixed corner profiles, 2- or 3-way junctions

05. Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape

06. Utility module

07. 4 versions of hinged doors - solid, tempered glass and framed

Wall-end uprights





Recessed wall-end upright



Fixed wall-end upright



End profile

Wall-end uprights



Storage-end upright

Recessed storage-end upright

Junction profiles



Aluminium junction
Metrica F1 - Metrica F Solid



Aluminium junction profile

Polycarbonate junction profile

Two-sided technical tape junction



Polycarbonate three-way junction

Two-sided technical tape three-way junction

Corner profiles



Polycarbonate
90° corner profile



Two-sided technical tape
90° corner junction

Utility module for hinged doors

Utility module





*possible positions for switches and sockets on the utility module

METRICA®
WITHOUT UPRIGHTS

Doors and handles

FRAMES FOR HINGED DOORS

Door frame on **Metrica F1**



Door frame on **Metrica FA**



Door frame on **Metrica F2**



Door frame on **Metrica F Solid**



SOLID DOOR LEAF 43 mm thick



CHARACTERISTICS

01. visible or concealed hinge

02. visible or concealed door closer

03. recessed dust seal



SOLID DOOR LEAF 43 mm thick



ML1



ML4



ML5



ML6



ML7



ML8



ML9



ML10



ML11



MLQ



MLT

TEMPERED GLASS DOOR LEAF 10 mm thick

Visible hinge



CHARACTERISTICS

01. visible hinge - 110° or 180°
02. visible door closer
03. handle with glass adapter
04. external dust seal

TEMPERED GLASS DOOR LEAF 10 mm thick



MC1



MC4



MC5



MC5V



MC6



MC6V



MC7



MC7V



MC8



MC8V



MC9



MC9V



MC10



MC10V



MC11



MC11V



MCQ



MCQO



MCT



MCTO

TEMPERED GLASS DOOR LEAF 10 mm thick

Anodized full-height hinge



CHARACTERISTICS

01. full-height hinge - 180°
02. visible door closer
03. handle with glass adapter
04. external dust seal

TEMPERED GLASS DOOR LEAF 10 mm thick



MC1



MC4



MC5



MC5V



MC6



MC6V



MC7



MC7V



MC8



MC8V



MC9



MC9V



MC10



MC10V



MC11



MC11V



MCQ



MCQO



MCT



MCTO

FRAMED DOOR LEAF 97 mm thick

Flush door





CHARACTERISTICS

01. concealed hinge

02. visible or concealed door closer

03. recessed dust seal



FRAMED DOOR LEAF 97 mm thick



ML5



ML6



ML7



ML8



ML9



ML10



ML11



MLQ



MLT

FRAMED DOUBLE-GLASS DOOR LEAF

97 mm thick *Flush door*



CHARACTERISTICS

01. concealed hinge

02. visible or concealed door closer

03. recessed dust seal



FRAMED DOUBLE-GLASS DOOR LEAF 97 mm thick



ML5



ML6



ML7



ML8



ML9



ML11

FRAMED GLASS DOOR LEAF 25 mm thick



CHARACTERISTICS

01. soft opening-closing mechanism

02. synchronised closing for double-leaf door

03. lock

Glass door

STEEL



MPOMGH1_H2_H3



MPOM2



MPOM3



MPOMGH1Q_GH2Q_GH3Q



MPOM3Q



MPOM8

ALUMINIUM



MPOMTH1_TH2



MPOMQH1_QH2



MPOM6



MPOM7

Solid door

STEEL



MPOMGH1_H2_H3



MPOM2



MPOMGH1Q_GH2Q_GH3Q



MPOM8

ALUMINIUM



MPOMTH1_TH2



MPOMQH1_QH2



MPOM4



MPOM5

METRICA®
WITHOUT UPRIGHTS

Accessories

Overhead door closer



01 external sliding closer
for framed/solid door



02 concealed closer
for framed/solid door



03 external sliding closer
for tempered glass door

Floor-mounted door closer



01 floor-mounted
for solid door



02 floor-mounted
for tempered glass door

Aluminium hinges



01 external pivot closer
for framed/solid door



02 concealed
for framed/solid door



03 180° opening
for tempered glass door



04 two-way hinge with adjustable speed
for tempered glass door



05 two-way hinge with adjustable speed
for tempered glass door



06 two-way hinge with adjustable speed
for tempered glass door



07 full-height hinge
for tempered glass door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door

METRICA®
WITHOUT UPRIGHTS

Finishes

Frame

Anodised



01 Natural aluminium

02 Bronze

03 Black

04 Custom colour

RAL Finishes

01 White

02 Black

03 Custom colour

Polish

01 Shine

Wood

01 Light oak

02 Dark oak

Solid panels

CAT. 1

055 Graphite black

420 Gunmetal

418 Ash grey

419 Light grey

393 Dove grey

417 Vanilla

429 Warm white

428 Cold white

CAT. 2



422 Silver

423 Champagne

Woods

CAT. 1

421 Eucaliptus

426 Mid-tone oak

274 Acacia

416 Streaked white

CAT. 2

425 Dark walnut

318 Mid-tone walnut

427 Light walnut

382 Natural oak

CAT. 3

138 Aged saw-cut oak

197 Saw-cut eucaliptus

408 Grey oak

400 Danube oak

414 Red walnut

412 Vintage oak

413 Champagne oak

410 Light oak

Textures

CAT. 2

304 Dark-tone fabric



123 Mid-tone fabric

305 Light-tone fabric

424 Oxide

CAT. 3

385 Bronze linen



409 Bark

406 Primo fiore grey



405 Primo fiore dove grey

404 Primo fiore beige

415 Desert

Glass

01 Clear

03 Satin

05 Smoked

02 Extra light

04 Bronze

06 Custom painted

ETOILE

Etoile s.r.l. - Società Unipersonale

Via Delle Industrie, 9/B 61040 Sant'Ippolito (PU) Italy
P. +39.0721.85.59.34
info@etoilesrl.it - www.etoilesrl.it