





 ETOILE

METRICA® F2






- 01.** Thickness: 97 mm
- 02.** Recessed floor and ceiling rails, corner profiles and wall-end uprights are in 6060 UNI 9006/1 extruded aluminium
- 03.** Framed double glass - 55.1/55.2/66.1/66.2 laminated glass or 10-12-mm-thick tempered glass
- 04.** Fixed corner profiles, 2- or 3-way junctions
- 05.** Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape
- 06.** Utility module
- 07.** 4 versions of hinged doors - solid, tempered glass and framed
- 08.** 1 version of internal sliding door - framed




Wall-end uprights




double 55.1 laminated glass
double 55.2 laminated glass
double 66.1 laminated glass
double 66.2 laminated glass


double 10-mm-thick tempered glass
double 12-mm-thick tempered glass



Recessed wall-end upright




Fixed wall-end upright



End profile

Wall-end uprights




Storage-end upright


30



Recessed storage-end upright




Aluminium junction
Metrica F2 - Metrica F Solid



Aluminium
junction profile


Polycarbonate
junction profile

Two-sided technical tape
junction




Two-sided technical tape
three-way junction

Corner profiles



**Polycarbonate
90° corner profile**





**Two-sided technical tape
90° corner junction**

METRICA® F2/ Parts

Utility module
for hinged doors



Utility module




**possible positions for switches and sockets on the utility module*

METRICA®
WITHOUT UPRIGHTS


Doors and handles




Door frame on **Metrica F1**




Door frame on **Metrica FA**




Door frame on **Metrica F2**



Door frame on **Metrica F Solid**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01. visible or concealed hinge
- 02. visible or concealed door closer
- 03. recessed dust seal




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ



MLT


TEMPERED GLASS DOOR LEAF 10 mm thick

Visible hinge




CHARACTERISTICS


- 01.** visible hinge - 110° or 180°
- 02.** visible door closer
- 03.** handle with glass adapter
- 04.** external dust seal




TEMPERED GLASS DOOR LEAF 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO

TEMPERED GLASS DOOR LEAF 10 mm thick


Anodized full-height hinge




TEMPERED GLASS DOOR LEAF 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO

FRAMED DOOR LEAF 97 mm thick


Flush door




FRAMED DOOR LEAF 97 mm thick




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ



MLT


FRAMED DOUBLE-GLASS DOOR LEAF

97 mm thick *Flush door*




CHARACTERISTICS


- 01.** concealed hinge
- 02.** visible or concealed door closer
- 03.** recessed dust seal




FRAMED DOUBLE-GLASS DOOR LEAF 97 mm thick




ML5




ML6




ML7



ML8




ML9



ML11


FRAMED GLASS DOOR LEAF 25 mm thick




Glass door




STEEL




MPOMGH1_H2_H3





MPOM2



MPOM3




MPOMGH1Q_GH2Q_GH3Q MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM6




MPOM7




Solid door


STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

METRICA®
WITHOUT UPRIGHTS


Accessories




Overhead door closer



01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door




03 external sliding closer
for tempered glass door

Floor-mounted door closer




01 floor-mounted
for solid door




02 floor-mounted
for tempered glass door


Aluminium hinges




01 external pivot closer
for framed/solid door




02 concealed
for framed/solid door




03 180° opening
for tempered glass door




04 two-way hinge with adjustable speed
for tempered glass door



05 two-way hinge with adjustable speed
for tempered glass door




06 two-way hinge with adjustable speed
for tempered glass door




07 full-height hinge
for tempered glass door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door


METRICA®
WITHOUT UPRIGHTS

Finishes

Frame



Anodised



01 Natural aluminium



02 Bronze



03 Black



04 Custom colour

RAL Finishes



01 White




02 Black



03 Custom colour

Polish



01 Shine

Wood



01 Light oak




02 Dark oak




Solid panels


CAT. 1




055 Graphite black



420 Gunmetal




418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white




428 Cold white

CAT. 2



422 Silver



423 Champagne

Woods



CAT. 1



421 Eucaliptus



426 Mid-tone oak



274 Acacia



416 Streaked white

CAT. 2




425 Dark walnut



318 Mid-tone walnut



427 Light walnut




382 Natural oak


CAT. 3




138 Aged saw-cut oak



197 Saw-cut eucaliptus



408 Grey oak



400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak

Textures



CAT. 2



304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric



424 Oxide

CAT. 3



385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear



03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



Etoile s.r.l. - Società Unipersonale

Via Delle Industrie, 9/B 61040 Sant'Ippolito (PU) Italy

P. +39.0721.85.59.34

info@etoilesrl.it - www.etoilesrl.it