

閃

閃 ETOILE


QUADRA®



Quadra is a storage wall, available in **three** different **depths** and three types of **doors**. It can be integrated in all partition walls.




QUADRA® S
flush - fit glass door




366/462/600

QUADRA® V
framed glass door





366/462/600

QUADRA® SOLID
solid door



366/462/600





CHARACTERISTICS

- 01.** 3 depths - 600, 462 and 366 mm
- 02.** 2 widths - 500 and 1000 mm
- 03.** Supporting frame in melamine-finished panels, 22 mm thick
- 04.** Back and side panels: melamine-finished, veneered or lacquered - 18 mm thick
- 05.** 3 types of doors: solid, framed glass and flush glass
- 06.** Aluminium top and bottom finishing profile
- 07.** Cable management in the base section
- 08.** Melamine-finished or metal internal shelves
- 09.** Hanger bars
- 10.** Drawers with pull-out file-holders
- 11.** Full-height doors and open shelves
- 12.** Rack profile or 32-mm-pitch holes to allow adjustable shelf positioning
- 13.** Storage units that can be integrated into partition walls

QUADRA® S








- 01.** 3 depths - 600, 462 and 366 mm
- 02.** 2 widths - 500 and 1000 mm
- 03.** Supporting frame in melamine-finished panels, 22 mm thick
- 04.** Back and side panels: melamine-finished, veneered or lacquered - 18 mm thick
- 05.** Flush glass doors -19 mm thick
- 06.** Aluminium top and bottom finishing profile
- 07.** Cable management in the base section
- 08.** Melamine-finished or metal internal shelves
- 09.** Hanger bars
- 10.** Drawers with pull-out file-holders
- 11.** Full-height doors and open shelves
- 12.** Rack profile or 32-mm-pitch holes to allow adjustable shelf positioning
- 13.** Storage units that can be integrated into partition walls



Wall-end uprights



**Wall-end upright
with filler panel**




Wall-end upright

Wall-end uprights



Connection between storage units




Wooden end-side panel
with aluminium profiles

Wooden end-side panel

Linear junctions




**connections that fit
all Metrica Structural partitions*




Central junction with Metrica Structural


**connections that fit
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights



Straight junction with Metrica Structural




Straight junction with Metrica Without Uprights

Linear junctions




**connections that fit
all Ritmica Aluminium partitions*




Central junction with Ritmica Aluminium


**connections that fit
all Ritmica Wood partitions*



Central junction with Ritmica Wood



Straight junction with Ritmica Aluminium




Straight junction with Ritmica Wood

Linear junctions




**connections that fit
all Unica partitions*




Central junction with Unica


**connections that only fit
the Unica Slim partition*



Central junction with Unica Slim



Straight junction with Unica




Straight junction with Unica Slim

Linear junctions




**connection that fits
all Unica partitions*



Central junction with Unica, recessed

**connection that fits
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights, recessed

Three-way junctions



**Three-way junction
with Metrica Structural**



**Three-way junction
with storage unit**



**Three-way junction
with Metrica Without Uprights**



structural upright

**connection that fits all
Metrica Structural partitions*


*wooden end-side
panel*

**connection that fits all
Metrica Without Uprights partitions*

Three-way junctions




**Three-way junction
with Ritmica Aluminium**



**connection that fits
all Ritmica Aluminium partitions*

**Three-way junction
with Ritmica Wood**




**connection that fits
all Ritmica Wood partitions*

Three-way junctions




**Three-way junction
with Unica**




**connection that fits
all Unica partitions*

**Three-way junction
with Unica Slim**



**connection that only fits
the Unica Slim partition*


Corner profiles





90° corner
Quadra- to- Quadra



90° corner
Quadra- to- Metrica Structural



90° corner
Quadra- to- Quadra



QUADRA® V








- 01.** 3 depths - 600, 462 and 366 mm
- 02.** 2 widths - 500 and 1000 mm
- 03.** Supporting frame in melamine-finished panels, 22 mm thick
- 04.** Back and side panels: melamine-finished, veneered or lacquered - 18 mm thick
- 05.** Framed glass doors - 19 mm thick
- 06.** Aluminium top and bottom finishing profile
- 07.** Cable management in the base section
- 08.** Melamine-finished or metal internal shelves
- 09.** Hanger bars
- 10.** Drawers with pull-out file-holders
- 11.** Full-height doors and open shelves
- 12.** Rack profile or 32-mm-pitch holes to allow adjustable shelf positioning
- 13.** Storage units that can be integrated into partition walls



Wall-end uprights



Wall-end upright with filler panel




Wall-end upright

Wall-end uprights



Connection between storage units




Wooden end-side panel
with aluminium profiles

Wooden end-side panel

Linear junctions




**connections that fit
all Metrica Structural partitions*




Central junction with Metrica Structural


**connections that fit
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights



Straight junction with Metrica Structural




Straight junction with Metrica Without Uprights

Linear junctions




**connections that fit
all Ritmica Aluminium partitions*




Central junction with Ritmica Aluminium


**connections that fit
all Ritmica Wood partitions*



Central junction with Ritmica Wood



Straight junction with Ritmica Aluminium




Straight junction with Ritmica Wood

Linear junctions




**connections that fit
all Unica partitions*




Central junction with Unica


**connections that only fit
the Unica Slim partition*



Central junction with Unica Slim




Straight junction with Unica



Straight junction with Unica Slim




**connection that fits
all Unica partitions*



Central junction with Unica, recessed

**connection that fits
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights, recessed



Three-way junctions


**Three-way junction
with Metrica Structural**



**Three-way junction
with storage unit**



**Three-way junction
with Metrica Without Uprights**



structural upright

**connection that fits all
Metrica Structural partitions*


*wooden end-side
panel*

**connection that fits all
Metrica Without Uprights partitions*

Three-way junctions




**Three-way junction
with Ritmica Aluminium**



**connection that fits
all Ritmica Aluminium partitions*

**Three-way junction
with Ritmica Wood**




**connection that fits
all Ritmica Wood partitions*

Three-way junctions




**Three-way junction
with Unica**




**connection that fits
all Unica partitions*

**Three-way junction
with Unica Slim**




**connection that only fits
the Unica Slim partition*


Corner profiles



90° corner
Quadra- to- Quadra




90° corner
Quadra- to- Metrica Structural




90° corner
Quadra- to- Quadra

Internal insulation




462



*available for 462-mm-thick units only

QUADRA® SOLID




Plus and Acoustic performance





- 01.** 3 depths - 600, 462 and 366 mm
- 02.** 2 widths - 500 and 1000 mm
- 03.** Supporting frame in melamine-finished panels, 22 mm thick
- 04.** Back and side panels: melamine-finished, veneered or lacquered - 18 mm thick
- 05.** Melamine-finished solid doors - 18 mm thick
- 06.** Aluminium top and bottom finishing profile
- 07.** Cable management in the base section
- 08.** Melamine-finished or metal internal shelves
- 09.** Hanger bars
- 10.** Drawers with pull-out file-holders
- 11.** Full-height doors and open shelves
- 12.** Rack profile or 32-mm-pitch holes to allow adjustable shelf positioning
- 13.** Storage units that can be integrated into partition walls


- 01.** Solid doors - **39 dB**
- 02.** Solid doors + paper documents inside - **44 dB**
- 03.** Solid doors + drawers - **37 dB**
- 04.** Solid doors + drawers + paper documents inside **41 dB**
- 05.** Solid doors + Metrica Solid with insulation- **61 dB**
- 06.** Solid doors + drawers + Metrica Solid with insulation - **57 dB**
- 07.** Solid doors + drawers+ paper documents + Metrica Solid with insulation - **58 dB**



Wall-end uprights



**Wall-end upright
with filler panel**




Wall-end upright

Wall-end uprights



Connection between storage units




Wooden end-side panel
with aluminium profiles

Wooden end-side panel

Linear junctions




**connections that fit
all Metrica Structural partitions*




Central junction with Metrica Structural


**connections that fit
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights



Straight junction with Metrica Structural




Straight junction with Metrica Without Uprights

Linear junctions




**connections that fit
all Ritmica Aluminium partitions*




Central junction with Ritmica Aluminium


**connections that fit
all Ritmica Wood partitions*



Central junction with Ritmica Wood



Straight junction with Ritmica Aluminium




Straight junction with Ritmica Wood

Linear junctions




**connections that fit
all Unica partitions*




Central junction with Unica


**connections that only fit
the Unica Slim partition*



Central junction with Unica Slim



Straight junction with Unica




Straight junction with Unica Slim

Linear junctions




**connection that fits
all Unica partitions*



Central junction with Unica, recessed

**connection that fits
all Metrica Without Uprights partitions*



Central junction with Metrica Without Uprights, recessed

Three-way junctions



**Three-way junction
with Metrica Structural**

**Three-way junction
with storage unit**

**Three-way junction
with Metrica Without Uprights**



structural upright

*wooden end-side
panel*


**connection that fits all
Metrica Structural partitions*

**connection that fits all
Metrica Without Uprights partitions*

Three-way junctions




**Three-way junction
with Ritmica Aluminium**



**connection that fits
all Ritmica Aluminium partitions*

**Three-way junction
with Ritmica Wood**




**connection that fits
all Ritmica Wood partitions*

Three-way junctions




**Three-way junction
with Unica**




**connection that fits
all Unica partitions*

**Three-way junction
with Unica Slim**



**connection that only fits
the Unica Slim partition*


Corner profiles



90° corner
Quadra- to- Quadra




90° corner
Quadra- to- Metrica Structural




90° corner
Quadra- to- Quadra

Internal insulation



462






*available for 462-mm-thick units only

QUADRA®


Doors

SOLID DOOR LEAF 43 mm thick




SOLID DOOR LEAF 43 mm thick


ML01




ML04




ML05




ML06




ML07




ML08




ML09




ML10



ML11




MLQ




MLT


TEMPERED GLASS DOOR LEAF 10 mm thick




*for all Quadra partitions




TEMPERED GLASS DOOR LEAF 10 mm thick




MC01




MC04




MC05




MC05V




MC06




MC06V




MC07




MC07V




MC08




MC08V




MC09




MC09V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT



MCTO

QUADRA®


Handles




01COMMA1C



02COMMA2



03COMMA3



04COMMA4



05COMMA5




06COMMA6




07COMMA7




08COMMA9



09COMMA10




10COMMAQ




11COMMAT

QUADRA®


Accessories

Shelves


01 melamine-finished shelf
L 500/1000 mm

Drawers


03 pull-out frame
L 1000 mm

Grids


05 front grid

Coat hanger


07 hanger bar
L 500/1000 mm

Fixing system


09 rack profile




02 metal shelf
L 500/1000 mm




04 drawer
L 500/1000 mm



06 top grid




08 pull-out coat hanger




10 internal 180°- opening hinge

QUADRA®


Finishes

Anodised

01 Natural aluminium



02 Bronze




03 Black



04 Custom colour

RAL Finishes

01 White




02 Black




03 Custom colour

Polish

01 Shine

Wood

01 Light oak




02 Dark oak


Solid panels




CAT. 1




055 Graphite black




420 Gunmetal



418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white




428 Cold white

CAT. 2




422 Silver




423 Champagne



CAT. 1



421 Eucaliptus



426 Mid-tone oak



274 Acacia



416 Streaked white

CAT. 2



425 Dark walnut



318 Mid-tone walnut



427 Light walnut



382 Natural oak


CAT. 3



138 Aged saw-cut oak



197 Saw-cut eucaliptus



408 Grey oak



400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak



CAT. 2



304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric




424 Oxide

CAT. 3




385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige




415 Desert



01 Clear



03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted

QUADRA®

Technical specifications



QUADRA® is a movable interior storage wall, supplied in **three different depths**, 366 mm, 462 mm and 600 mm, available with **three types of doors**: solid, framed glass and flush glass.

VERSIONS

QUADRA® S

Storage wall with flush glass doors

QUADRA® V

Storage wall with framed glass doors

QUADRA® SOLID

Storage wall with solid doors

GENERAL DESCRIPTION

The wall features a **load-bearing structure** of 22-mm-thick particle board panels, finished on both sides with melamine paper and double PVC bubble seals. Back panels are 18 mm thick.

Quadra **back panels** are fixed to the structural panels with metal interlocking joints and can be doubled, with an additional layer of insulating material, where greater acoustic insulation is required.

Doors and back panels are 18 mm thick and can be either solid, in melamine-faced wood, or glazed, with transparent or frosted glass framed by extruded 6060 UNI 9006/1 aluminium profiles, supplied as standard in a silver anodised finish. The standard versions can have profiles holding one a central glass or flush glass modules. The hinges are nickel-plated zinc die-cast with 110° or 180° opening. Standard supplies include handles without lock, handles with rotating rod lock, handles with integrated lock and knobs with rotating rod lock.

Finishing panels, lateral, final and intermediate, are finished on all sides with RAL 9006 grey PVC double seals that ensure perfect closure of the doors, prevent dust infiltration and increase the acoustic performance.

Side-finishing panels are available in two versions: entirely in melamine-finished and edged wood or with vertical silver anodised aluminium corner profile.

The **lower structural base** features a technical compartment that can contain cables and can be inspected thanks to an aluminium finishing pro-



file, fixed to the structural sides with metal snap-on joints.

The interior can be fitted with **melamine-finished** or **metal tops** that can be adjusted in height by positioning the shelf supports in the 32-mm-pitch slots or by fixing a rack frame. Storage units can also be fitted with file-holder frames, coat hanger bars and other accessories, as requested by the client.

The Quadra® system offers various possible configuration options: room-height storage, double leaf doors, doors and drawers, open shelves.



01. Full-height wooden storage module without internal paper filling - Acoustic test -

Certificate no. 285086 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

02. Full-height wooden storage module with internal paper filling - Acoustic test -

Certificate no. 285087 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007

03. Full-height wooden storage module without internal paper filling, coupled with Metrica wall

insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test -

Certificate no. 285095 IT/EN -UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007

04. Full-height wooden storage module without internal paper filling, coupled with Metrica wall

insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test -

Certificate no. 285096 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007

05. Wooden storage unit with doors and drawers, without internal paper filling - Acoustic test -

Certificate no. 285088 IT/EN - UNI EN ISO 140-3:2006 and UNI EN ISO 717-1:2007

06. Wooden storage unit with doors and drawers, with internal paper filling - Acoustic test -

Certificate no. 285089 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007

07. Wooden storage unit with doors and drawers, without internal paper filling, coupled with Metrica wall

insulated with rock wool d=35 Kg/sqm Th.=60 mm - Acoustic test -

Certificate no. 285097 IT/EN - UNI EN ISO 140-3: 2006 and UNI EN ISO 717-1:2007



08. Cubica full-height storage with wooden doors - 180° hinge - wooden shelves - Safety test -
Certificate no. 248418 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005

09. Cubica S full-height storage with glass doors - 110° hinge - metal shelves - Safety test -
Certificate no. 250055 IT/EN - UNI EN 14073-3: 2005 and UNI EN ISO 14074:2005

10. Set of drawers -
Certificate no. 248417 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005

11. Folder rack -
Certificate no. 250056 IT/EN - UNI EN 14073-3:2005 and UNI EN 14074:2005



Etoile s.r.l. - Società Unipersonale

Via Delle Industrie, 9/B 61040 Sant'Ippolito (PU) Italy
P. +39.0721.85.59.34
info@etoilesrl.it - www.etoilesrl.it