





☐ ETOILE


UNICA® SC1/SC2/SC3



UNICA® SC3/ 5+5



UNICA® SC1/ 6+6



UNICA® SC2/ 8+8




Plus and Acoustic performance

- 01.** Thickness: 51 mm
- 02.** Glazing bead profile - dimensions 47 x 40 mm
- 03.** Floor and ceiling rails, corner profiles and wall-end are in 6060 UNI 9006/1 extruded aluminium
- 04.** SC3: single central glass - 55.1/55.2 or 10-mm-thick
- 05.** SC1: single central glass - 66.1/66.2 or 12-mm-thick
- 06.** SC2: single central glass - 88.1/88.2 or 16-mm-thick
- 07.** Solid panel, free-standing or anchored to glass modules
- 08.** Fixed or adjustable corner profiles, 2-, 3- or 4-way junctions
- 09.** Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape
- 10.** Door frame with cable routing
- 11.** Inspectable utility module
- 12.** 7 versions of hinged doors - solid, tempered glass and framed and 5 versions of external sliding doors
- 13.** 5 versions of external sliding doors - solid, tempered glass and framed

- 01. SC3:** Laminated glass 55.1 - **32 dB**
- 02. SC3:** Laminated glass 55 + 0,5 PVB + insulation - **35 dB**
- 03. SC1:** Laminated glass 66.1 - **36 dB**
- 04. SC1:** Laminated glass 66.2 + acoustic film - **38 dB**
- 05. SC2:** Laminated glass 88.1 - **37 dB**
- 06. SC2:** Laminated glass 88.2 + acoustic film - **40 dB**




Wall-end uprights




Unica SC3
laminated glass 55.1/55.2
10-mm-thick tempered glass

Unica SC1
laminated glass 66.1/66.2
12-mm-thick tempered glass

Unica SC2
laminated glass 88.1/88.2
16-mm-thick tempered glass




Fixed wall-end upright




Adjustable wall-end upright

Wall-end uprights



End profile



Storage-end uprights

Junction profiles



adjustable

**Aluminium
junction profile**

**Polycarbonate
junction profile**

**Two-sided technical tape
junction**

**Aluminium
three-way junction**


**Polycarbonate
three-way junction**

**Two-sided
technical tape
three-way junction**

Corner profiles for Unica SC3



Aluminium/Polycarbonate
90° corner profile




Two-sided technical tape
90° corner junction




Two-way
corner junction

Adjustable angle



Three-way
corner junction

Four-way
corner junction




Corner profiles for Unica SC1 and SC2



Aluminium/Polycarbonate
90° corner profile




Two-sided technical tape
90° corner junction




Two-way
corner junction

Adjustable angle



Three-way
corner junction


Four-way
corner junction





Cabling and utility module for hinged doors



Utility module



Cabling solution




*possible positions for switches and sockets on the door frame



Cabling and utility module for sliding doors



Utility module



Cabling solution



**possible positions for switches and sockets on the door frame*

Solid panel




Wall with suspended central panel

Unica SC3
10-mm-thick tempered glass

Unica SC1
12-mm-thick tempered glass

Unica SC2
16-mm-thick tempered glass

supporting
wood insert






Wall with full-height panel

supporting
wood insert

Unica SC3
10-mm-thick wood panel

Unica SC1
12-mm-thick wood panel

Unica SC2
18-mm-thick wood panel




UNICA®

Doors and handles


FRAMES FOR HINGED DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**




Door frame on **Unica SC1/SC2/SC3**




SOLID DOOR LEAF 43 mm thick




SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF_VISIBLE HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


TEMPERED GLASS DOOR LEAF_ANODIZED FULL-HEIGHT HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF_ANODIZED FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


LARGE FRAMED DOOR LEAF 43 mm thick




LARGE FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


MEDIUM FRAMED DOOR LEAF 43 mm thick




MEDIUM FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11





MLQ




MLT


THIN FRAMED DOOR LEAF 43 mm thick




THIN FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




ML5




ML6




ML7



ML8



ML9




ML11


FRAMES FOR SLIDING DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**



Door frame on **Unica SC1/SC2/SC3**




SOLID DOOR LEAF 43 mm thick




CHARACTERISTICS


- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright



TEMPERED GLASS DOOR LEAF 10 mm thick




LARGE FRAMED DOOR LEAF 43 mm thick




CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright




MEDIUM FRAMED DOOR LEAF 43 mm thick





CHARACTERISTICS

- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright




THIN FRAMED DOOR LEAF 43 mm thick




Glass door




STEEL




MPOMGH1_H2_H3




MPOM2




MPOM3



MPOMGH1Q_GH2Q_GH3Q




MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM6




MPOM7


Solid door




STEEL




MPOMGH1_H2_H3



MPOM2




MPOMGH1Q_GH2Q_GH3Q




MPOM8


ALUMINIUM




MPOMTH1_TH2



MPOMQH1_QH2



MPOM4




MPOM5

UNICA®


Accessories




Overhead door closer



01 external sliding closer
for framed/solid door




02 concealed closer
for framed/solid door




03 external sliding closer
for tempered glass door


Floor-mounted door closer Aluminium hinges




01 floor-mounted
for solid door




02 floor-mounted
for tempered glass door




01 external pivot closer
for framed/solid door




02 concealed
for framed/solid door




03 180° opening
for tempered glass door




04 two-way hinge with adjustable speed
for tempered glass door



05 two-way hinge with adjustable speed
for tempered glass door




06 two-way hinge with adjustable speed
for tempered glass door




07 full-height hinge
for tempered glass door

Accessories



01 concealed soundproofing draft stopper
for framed/solid door



02 door stopper
for solid/framed/tempered glass door


UNICA®

Finishes

Frame




Anodised



01 Natural aluminium



02 Bronze



03 Black




04 Custom colour

RAL Finishes



01 White



02 Black



03 Custom colour

Polish



01 Shine

Wood



01 Light oak




02 Dark oak


Solid panels




CAT. 1




055 Graphite black



420 Gunmetal



418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white



428 Cold white

CAT. 2



422 Silver



423 Champagne

Woods



CAT. 1



421 Eucaliptus



426 Mid-tone oak



274 Acacia



416 Streaked white

CAT. 2



425 Dark walnut



318 Mid-tone walnut



427 Light walnut




382 Natural oak

CAT. 3



138 Aged saw-cut oak



197 Saw-cut eucaliptus



408 Grey oak



400 Danube oak



414 Red walnut



412 Vintage oak



413 Champagne oak



410 Light oak

Textures



CAT. 2



304 Dark-tone fabric



123 Mid-tone fabric



305 Light-tone fabric




424 Oxide

CAT. 3




385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


Glass



01 Clear




03 Satin



05 Smoked



02 Extra light



04 Bronze



06 Custom painted



ETOILE

Etoile s.r.l. - Società Unipersonale

Via Delle Industrie, 9/B 61040 Sant'Ippolito (PU) Italy

P. +39.0721.85.59.34

info@etoilesrl.it - www.etoilesrl.it