




 ETOILE

**UNICA® U**

---



## Plus and Acoustic performance





- 01.** Thickness: 51 mm
- 02.** Glazing bead profile - dimensions 30 x 50 mm (floor, minimum height) and 30 x 36 mm (ceiling)
- 03.** Floor and ceiling rails, corner profiles and wall-end uprights are in 6060 UNI 9006/1 extruded aluminium
- 04.** Single central glass - 55.1/55.2 laminated glass or 10-mm-thick tempered glass
- 05.** Solid panel in different formats, free-standing or anchored to glass modules
- 06.** Fixed or adjustable corner profiles, 2-, 3- or 4-way junctions
- 07.** Vertical junctions between glazed elements, made of aluminium, polycarbonate or transparent two-sided tape
- 08.** Door frame with cable routing
- 09.** Inspectable utility module
- 10.** 7 versions of hinged doors - solid, tempered glass and framed
- 11.** 5 versions of external sliding doors - solid, tempered glass and framed


- 01.** Laminated glass 55.1 - **32 dB**
- 02.** Laminated glass 55 + 0,5 acoustic PVB + insulation - **35 dB**



Wall-end uprights




Fixed wall-end upright




Adjustable wall-end upright

Wall-end uprights




End profile



Storage-end uprights

Junction profiles



## Corner profiles



Aluminium/Polycarbonate  
90° corner profile

Two-sided technical tape  
90° corner junction

Two-way  
corner junction

Adjustable angle

Three-way  
corner junction


Four-way  
corner junction

*\*only for 55.1/10-mm-thick glass*



Cabling and utility module  
for hinged doors



Utility module



Cabling solution




\*possible positions for switches and sockets on the door frame



# Cabling and utility module for sliding doors



Utility module



Cabling solution




\*possible positions for switches and sockets on the door frame



Solid panel



Wall with suspended central panel



Wall with full-height panel



**UNICA®**


Doors and handles

---


# FRAMES FOR HINGED DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**




Door frame on **Unica SC1/SC2/SC3**




## SOLID DOOR LEAF 43 mm thick




# SOLID DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


# TEMPERED GLASS DOOR LEAF\_VISIBLE HINGE 10 mm thick




# TEMPERED GLASS DOOR LEAF\_VISIBLE HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


# TEMPERED GLASS DOOR LEAF\_ANODIZED FULL-HEIGHT HINGE 10 mm thick




TEMPERED GLASS DOOR LEAF\_ANODIZED FULL-HEIGHT HINGE 10 mm thick




MC1




MC4




MC5




MC5V




MC6




MC6V




MC7




MC7V




MC8




MC8V




MC9




MC9V




MC10




MC10V




MC11




MC11V




MCQ



MCQO




MCT




MCTO


# LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




# LARGE FRAMED DOOR LEAF WITH PANEL 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


## LARGE FRAMED DOOR LEAF 43 mm thick




# LARGE FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


# MEDIUM FRAMED DOOR LEAF 43 mm thick




# MEDIUM FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


## THIN FRAMED DOOR LEAF 43 mm thick




# THIN FRAMED DOOR LEAF 43 mm thick




ML1




ML4




ML5




ML6




ML7




ML8




ML9




ML10



ML11




MLQ




MLT


## FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




# FRAMED DOUBLE-GLASS DOOR LEAF 51 mm thick




**ML5**




**ML6**




**ML7**



**ML8**



**ML9**




**ML11**


FRAMES FOR SLIDING DOORS




Door frame on **Unica Slim**




Door frame on **Unica U**



Door frame on **Unica SC1/SC2/SC3**




# SOLID DOOR LEAF 43 mm thick




## CHARACTERISTICS



- 01.** soft opening-closing mechanism
- 02.** synchronised closing for double-leaf door
- 03.** lock
- 04.** switch on door upright



## TEMPERED GLASS DOOR LEAF 10 mm thick




# LARGE FRAMED DOOR LEAF 43 mm thick




## CHARACTERISTICS


- 01. soft opening-closing mechanism
- 02. synchronised closing for double-leaf door
- 03. lock
- 04. switch on door upright



# MEDIUM FRAMED DOOR LEAF 43 mm thick




# THIN FRAMED DOOR LEAF 43 mm thick




Glass door




STEEL




MPOMGH1\_H2\_H3





MPOM2



MPOM3




MPOMGH1Q\_GH2Q\_GH3Q MPOM3Q




MPOM8


ALUMINIUM




MPOMTH1\_TH2



MPOMQH1\_QH2



MPOM6




MPOM7


Solid door




STEEL




MPOMGH1\_H2\_H3



MPOM2




MPOMGH1Q\_GH2Q\_GH3Q




MPOM8


ALUMINIUM




MPOMTH1\_TH2



MPOMQH1\_QH2



MPOM4



MPOM5


**UNICA®**

Accessories


---




## Overhead door closer



**01 external sliding closer**  
for framed/solid door




**02 concealed closer**  
for framed/solid door




**03 external sliding closer**  
for tempered glass door

## Floor-mounted door closer




**01 floor-mounted**  
for solid door




**02 floor-mounted**  
for tempered glass door


## Aluminium hinges




**01 external pivot closer**  
for framed/solid door




**02 concealed**  
for framed/solid door




**03 180° opening**  
for tempered glass door




**04 two-way hinge with adjustable speed**  
for tempered glass door



**05 two-way hinge with adjustable speed**  
for tempered glass door




**06 two-way hinge with adjustable speed**  
for tempered glass door




**07 full-height hinge**  
for tempered glass door

## Accessories



**01 concealed soundproofing draft stopper**  
for framed/solid door



**02 door stopper**  
for solid/framed/tempered glass door

**UNICA®**

Finishes

---

# Frame




## Anodised



01 Natural aluminium



02 Bronze



03 Black



04 Custom colour

## RAL Finishes



01 White



02 Black



03 Custom colour

## Polish




01 Shine

## Wood



01 Light oak




02 Dark oak


Solid panels




CAT. 1



055 Graphite black



420 Gunmetal




418 Ash grey




419 Light grey




393 Dove grey



417 Vanilla



429 Warm white




428 Cold white

CAT. 2





422 Silver





423 Champagne







CAT. 1

**421** Eucaliptus**426** Mid-tone oak**274** Acacia**416** Streaked white

CAT. 2

**425** Dark walnut**318** Mid-tone walnut**427** Light walnut**382** Natural oak

CAT. 3

**138** Aged saw-cut oak**197** Saw-cut eucaliptus**408** Grey oak**400** Danube oak**414** Red walnut**412** Vintage oak**413** Champagne oak**410** Light oak



CAT. 2



304 Dark-tone fabric



123 Mid-tone fabric




305 Light-tone fabric




424 Oxide

CAT. 3



385 Bronze linen



409 Bark



406 Primo fiore grey



405 Primo fiore dove grey



404 Primo fiore beige



415 Desert


# Glass



**01** Clear



**03** Satin



**05** Smoked



**02** Extra light



**04** Bronze



**06** Custom painted



**Etoile s.r.l. - Società Unipersonale**

Via Delle Industrie, 9/B 61040 Sant'Ippolito ( PU ) Italy

P. +39.0721.85.59.34

info@etoilesrl.it - www.etoilesrl.it